

SUMMARY

A comprehensive account of the Muscid fauna of Uttarakhand consists of 22 species under 11 genera of 4 subfamilies from this State, and 6 species are recorded for the first time. Keys and diagnostic characters to the identification of families, genera and species are reported here. Among the 22 species are reported here, three species viz., *Hydrotaea cilifemorata* Emden, *Myospila bina brunneofemorata* Emden and *Stomoxys pullus* Austen are confined to India. 7 species restricted in

the boundary of Oriental Region, 4 species upto Palaearctic Region, and rest extend their range of distribution beyond the Oriental and Palaearctic Regions.

ACKNOWLEDGEMENTS

I wish to express my thanks to the Director, Zoological Survey of India, for the necessary facilities and encouragement. Thanks are also due to Dr. A.K. Hazra, Scientist 'E' (Retd.) for kindly going through the manuscript and making useful suggestions.

REFERENCES

- Emden, F.I. Van, 1965. The Fauna of India and the adjacent countries, Diptera, Muscidae, 7(1) : 647 pp. Govt. of India, New Delhi.
- McAlpine, J.F and D.M. Wood (eds.) 1989. Manual of Nearctic Diptera, Vol. 3. Research Branch, Agriculture Canada, Monograph 32.
- Mitra B. and Parui, P. 1995. Studies on Muscidae (DIPTERA) Fauna of Bay Islands. *J. Andaman Sci. Assoc.*, 11(1 & 2) : 79-81.
- Mitra, B. 2000. Diptera : Muscidae, In : Fauna of Tripura, *State Fauna ser.*, 7(3) : 261-269, Zoological Survey of India, Kolkata.
- Mitra, B. 2003. Diptera : Muscidae, In : Fauna of Sikkim, *State Fauna ser.*, 9(3) : 401-411, Zoological Survey of India, Kolkata.
- Mitra, B. 2004. Diptera : Muscidae, In : Fauna of Manipur, *State Fauna ser.*, 10(2) : 503-508, Zoological Survey of India, Kolkata.
- Mitra, B., Sharma, R.M. and Parui, P. 2005. Inventory of the True flies (DIPTERA) of the Thar desert. *Rec. zool. Surv. India*, 104(1-2) : 147-155.
- Mitra, B. 2006. Diptera : Muscidae, In : Fauna of Arunachal Pradesh, *State Fauna ser.*, 13(2) : 355-367, Zoological Survey of India, Kolkata.
- Mitra, B., Ahmed, S. and Sharma, R.M. 2006. A Checklist of House-flies (Diptera : Muscidae) of North east India *Uttar Pradesh. J. Zool.*, 26(1) : 83-89.
- Mitra, B. 2006. Diptera : Muscidae, In : Fauna of Nagaland, *State Fauna ser.*, 12 : 193-197. Zoological Survey of India, Kolkata.
- Pont, A.C. 1977. Family Muscidae. In : M.D. Delfinado and D.E. Hardy (eds). *A Catalogue of Diptera of the Oriental region*, 3 : 451-523. Univ. Hawaii Press, Honolulu.
- Pont, A.C. 1986. Family Muscidae, pp. 57-215. In : Süös, A. & L. Papp (eds.) Catalogue of the Palaearctic Diptera, Vol. II, Hungarian Natural History Museum, Budapest.
- Skidmore, P., 1985. *The biology of the Muscidae of the world. Series entomologica*, 5 : 29, xiv + 550p. Junk, Dordrecht.
- Shinonaga, S. and Singh, M.M. 1994. Muscidae of Nepal (Diptera), I. Muscinae, Stomoxyinae and Phaoniinae. *Jpn. J. Sanit. Zool.*, 45 (supp.) : 99-177.
- Vockeroth, J.R. 1972. A review of the World genera of Mydaeinae, with a revision of the species of New Guinea and Oceania (Diptera : Muscidae), *Paclif. Insects. Monogr.*, 29 : 1-34.



ON A COLLECTION OF INSECTA : COLEOPERA : CERAMBYCIDAE AND CURCULIONIDAE (BRACHYDERINAE AND OTIIRRHYNCHINAE) FROM UTTARAKHAND

P. MUKHOPADHYAY

Zoological Survey of India, M-Block, New Alipore,
Kolkata-700 053

INTRODUCTION

The members of the family Cerambycidae are commonly known as longicornia or Longicorn beetles. It includes 35,000 species under 4,000 genera in 11 subfamilies from the world (Lawrence, 1982). The number of species known to occur in the Indian region over 1,200. Of which 490 species belong to the subfamily Cerambycinae and 720 species in the subfamily Lamiinae. Over 200 further species have been described since 1914. Of them about 156 species of Cerambycinae and 224 species of Lamiinae are found to attack trees, shrubs, woody climber, viens etc. (Beeson, 1941). Major workers on this family are Gahan (1906), Stebbing (1914), Beeson (1941), Breuning (1960-66).

The members of the family Curculionidae are commonly known as weevils and belongs to the superfamily Curculionoidea under the suborder Rhynchophora of the Order Coleoptera. Subfamily Otiorrhynchinae, Brachyderinae and Tanyrrhynchinae that are known from India (Marshal, 1916) belongs to the section Adelognathi which include short snouted weevils. The members of the subfamily Brachyderinae can be easily distinguished by its scrobes being lateral in position and the sublinear furrow curving downward in front of the eye. The members of the subfamily Otiorrhynchinae can easily be distinguished by its prothorax without post ocular lobes or vibrissae. The members are found to occur in variable habitat and majority of them appear to feed in rotten wood, cambium of roots, stems, flowers, seeds and many of them are also found in soil as a root feeder. They are very economically important because they eat flower buds, seed, young fruits and also act as defoliators, leaf miners, stem and collar borers, wood borers etc. Major worker on this group are Schönher, Boheman,

Gyllen & Fahreus (1833-1885), Lacordaire (1866), Von Harold (1871), G.A.K. Marshal (1916) etc.

Present study is based on the collection made by the different survey parties of Zoological survey of India including the earlier material present in the Coleoptera Section have also been included. Distributional data and synonymies of each species has also been given from published records as well as actual study of the specimens.

SYSTEMATIC ACCOUNT (LIST OF TAXA)

Family CERAMBYCIDAE

Subfamily LAMIINAE

Tribe MESOSINI

Genus *Cacia* Newmann, 1842

Subgenus *Pericacia* Breuning

1. *Cacia* (*Pericacia*) *cretifera* (Hope)

Genus *Mesosa* Latreille, 1829

2. *Mesosa indica* (Breun)

Genus *Coptops* Serville, 1835

3. *Coptops aedificator* (F.)

Tribe XENOLEINI

Genus *Xenolea* Thomson, 1864

4. *Xenolea asiatica* (Pic.)

Tribe AGNIINI

Genus *Blepephaeus* Pascoe, 1866

5. *Blepephaeus nigrosparsus* Pic.

Genus *Monochamus* Guerin-Meneville, 1826

6. *Monochamus bimaculatus* Gahan

Tribe BATOCERINI

Genus *Batocera* Castelnau, 1840

7. *Batocera rubus* (Linne)

Genus *Apriona* Chevrolat, 1852

8. *Apriona cinerea* Chevrolat

- Tribe APOMECYNINI
- Genus *Ropica* Pascoe, 1858
9. *Ropica rufescens* (Pic.)

Genus *Apomecyna* Latreille, 1829

 10. *Apomecyna histrio* (F.)

Tribe PTEROPLINI

Genus *Sthenias* Castelnau, 1840

 11. *Sthenias grisor F.*

Genus *Pterolophia* Newmann, 1842

Subgenus *Mimoron* Pic.

 12. *Pterolophia (Mimoron) brevigibbosa* Pic.

Subgenus *Pterolophia s.str.*

 13. *Pterolophia (s.str.) occidentalis* (Schew.)

Genus *Desisa* Pascoe, 1865

Subgenus *Desisa* Pascoe

 14. *Desisa (s.str.) subfasciata* (Pascoe)
 15. *Desisa (s.str.) plagiata* Breuning

Tribe ACANTHOCININI

Genus *Exocentrus* Mulsant, 1839

Subgenus *Pseudocentrus* Fairmaire

 16. *Exocentrus (Pseudocentrus) flemingiae* Fisher
 17. *Exocentrus (Pseudocentrus) grcurae* (Fish.)
 18. *Exocentrus (Pseudocentrus) dalbergiae* (Fish.)
 19. *Exocentrus (Pseudocentrus) cudraminae* (Fish.)
 20. *Exocentrus (Pseudocentrus) alboguttatus* (Fish.)

Tribe DORCASCHEMATINI

Genus *Olenecamptus* Chevrolat, 1835

 21. *Olenecamptus indianus* Thomson
 22. *Olenecamptus bilobus* (F.)

Tribe SAPERDINI

Genus *Glenea* Newmann, 1842

Subgenus *Glenea s.str.*

 23. *Glenea (s.str.) maculata* (Hope)

Subgenus *Stiroglenea* Aurivillius

 24. *Glenea (Stiroglenea) spilota* (Thomson)

Tribe CROSSOTINI

Genus *Moechotypa* Thomson, 1864

 25. *Moechotypa asiatica* (Pic.)

Subfamily PRIONINAE

Genus *Lophosternus* Guer., 1844

 26. *Lophosternus hugelii* Redtenb.

Subfamily LEPTURINAE

Genus *Apicephalus* Gahan, 1898

Apicephalus licheneus Gahan

Subfamily CERAMBYCINAE

Group ASEMINI

Genus *Tetropium* Kirby, 1837

 27. *Tetropium oreinum* Gahan

Genus *Criocephalus* Mulsant, 1839

 28. *Criocephalus unicolor* Mshl.

Group OEMINI

Genus *Xystrocera* Serv., 1869

 29. *Xystrocera globosa* Oliv.

Group CERAMBYCINI

Genus *Aeolesthes* Gahan, 1890

 30. *Aeolesthes holosericea* Fab.

Genus *Diorthus* Gahan, 1891

 31. *Diorthus simplex* White

Genus *Derolus* Gahan, 1891

 32. *Derolus mauritanicus* Buquet

Group MYTHODINI

Genus *Phyodexia* Pascoe, 1871

 33. *Phyodexia concinna* Pascoe

Group PURPURICENINI

Genus *Purpuricenus* Latrielle, 1829

 34. *Purpuricenus montanus* White

Group PYRESTINI

Genus *Erythrus* White, 1853

 35. *Erythrus westwoodi* White

Group CLYTINI

Genus *Xylotrechus* Chevrolat, 1860

 36. *Xylotrechus stebbingi* Gahan
 37. *Xylotrechus subscutellatus* Chev.

Genus *Perissus* Chevrolat, 1863

 38. *Perissus fuliginosus* Chev.

Genus *Caloclytus* Fairm., 1864

 39. *Caloclytus annularis* F.

Group EPIPEDOCERINI

Genus *Epipedocera* Chevrolat, 1863

 40. *Epipedocera affinis* Chevr.

Family CURCULIONIDAE

Division ADELOGNATHI

Subfamily BRACHYDERINAE

Group BLOSYRIDES

Genus *Blosyrodes* Jek., 1875

 1. *Blosyrodes variegates* (Redtenbacher)

Group TANYMECIDES

Genus *Tanymecu* Schönh., 1826

 2. *Tanymecus circumdatus* var. *rusticus* Gyll.
 3. *Tanymecus agrestis* Fst.

Genus *Dereodus* Schönh., 1826

 4. *Dereodus polinosus* (Redt.)

Genus *Astycus* Schönh., 1826

 5. *Astycus lateralis* (F.)

- Genus *Lepidospyris* Mshl., 1916
 6. *Lepidospyris cretacea* Faust.
 7. *Lepidospyris demissa* Mshl.

- Genus *Leptomias* Fst., 1866
 8. *Leptomias angustatus* (Redt.)
 9. *Leptomias lituratus* (Redt.)
 10. *Leptomias curtus* Mshl.
 11. *Leptomias jekeli* Fst.
 12. *Leptomias bipustulatus* Fst.
 13. *Leptomias sulcicollis* Mshl.
 14. *Leptomias longulus* (Fst.)
 15. *Leptomias curvipes* Mshl.

- Genus *Xylinophorus* Faust, 1885
 16. *Xylinophorus strigifrons* Fst.

- Genus *Pachynotus* Redt., 1848
 17. *Pachynotus globulicollis* Redt.
 Genus *Achlaenomus* Waterhouse, 1853
 18. *Achlaenomus ebeninus* Waterhouse
 Subfamily OTIORRHYNCHINAE
 Group PHYLLOBIIDES
 Genus *Myllocerus* Schönh., 1826
 19. *Myllocerus setulifer* Desbr.
 20. *Myllocerus setulifer* Mshl.
 21. *Myllocerus setulifer* (Hbst.)
 22. *Myllocerus setulifer* Mshl.
 23. *Myllocerus setulifer* Mshl.
 24. *Myllocerus setulifer* Boh.
 25. *Myllocerus setulifer* Mshl.

- Genus *Arrhines* Schönh., 1834
 26. *Arrhines languides* Gyllenhal

SYSTEMATIC ACCOUNT

- Family CERAMBYCIDAE
 Subfamily LAMIINAE
 Tribe MESOSINI
 Genus *Cacia* Newmann, 1842
 1842. *Cacia* Newmann, Ent., 1 : 290 (Type *spinigera* Newmann).
 1864-65. *Cacia*, Pascoe, Trans. Ent. Soc. Lond., (2)3 : 106.
 1869. *Cacia*, Laccordaire, Gen. Col. 9 : 369, 374.
 1939. *Cacia*, Breuning, Ent. Nov., 3rd Supp. 55 : 435-460.
 1951. *Cacia*, Gressitt, Longicornia, 2 : 421-424.
 1970. *Cacia*, Rendon & Breuning, Pac. Ins. Monograph, 24 : 19-21.

- Subgenus *Pericacia* Breuning
 1970. *Cacia* (*Pericacia*) Rendon & Breuning, Pac. Ins. Monograph, 24 : 19-20.

Cacia (*Pericacia*) *cretifera* (Hope)

1831. *Lamia cretifera* Hope, In Grey. Zool. Misc., 27.
 1865. *Cacia incensa* Pascoe, Trans. Ent. Soc. Lond., (3)3 : 112, note.
 1939. *Cacia crucifera* Breuning, Ent. Nov., 3rd supp. 55 : 459.
 1970. *Cacia* (*Pericacia*) *cretifera* (Hope), Rendon & Breuning, Pac. Ins. Monograph, 24 : 19-20.

Material examined : 1 ex., India : Uttarakhand : Dehradun : Nakronda, 2.viii.1936, 6682/H4, FRI, Deh.; 1 ex., Dehradun 23.vi.1934, 6683/H4, FRI, Deh.

Distribution : India : Uttarakhand (Dehradun), Himalaya, Assam, Andaman Island.

Elsewhere : Southern Asia, Indochina, Laos, Tenasserim, South China, Myanmar.

Remarks : This species first time recorded from this state.

Genus *Mesosa* Latreille, 1829

1829. *Mesosa* Latreille, In Cuvier, Regne Anim. Ins. 2(2) : 124 (Type : *curculionoides* Linne).
 1829. *Mesosa*, Castelnau, 1840. Hist. Nat. Col. 2 : 463.
 1869. *Mesosa*, Lacordaire, Gen. Col., 9 : 369, 378.
 1939. *Mesosa*, Breuning, Ent. Nov., 3rd Supp. 55 : 403-09.
 1970. *Mesosa*, Rendon & Breuning, Pacific Insect Monograph, 24 : 11-16.

Mesosa indica (Breun.)

Material examined : 1 ex., India : Uttarakhand : Dehradun : Lachiwala, 1.vii.1930, 6684/H4, FRI.; 1 ex., Lachiwala 12. vii. 1929, 6685/H4, FRI Deh.

Distribution : India : Ostindien, Uttarakhand.

Remarks : The species is first time recorded from this state, though reference not seen.

Genus *Coptops* Serville, 1835

1835. *Coptops* Serville. Ann. Soc. ent. Fr., 4 : 64 (Type : *aedificator* F.).
 1840. *Coptops*, Castelnau, His. Nat. Col., 2 : 466.
 1864. *Coptops*, Thomson, Syst. Nat., 371.
 1864-65. *Coptops*, Pascoe, Trans. Ent. Soc. Lond., (3)3 : 96, 116.
 1869. *Coptops*, Lacordaire, Gen. Col., 9 : 369, 384.
 1933. *Coptops*, Matsushita, J. Fac. Agric. Hokk. 34(2) : 338-44.
 1951. *Coptops*, Gressitt. Longicornia, 2 : 430-32.
 1970. *Coptops*, Rondon & Breuning, Pac. Ins. Monograph, 24 : 28-30.

Coptops aedificator (F.)

1792. *Coptops aedificator* F., Ent. Syst., 1(2) : 279.
 1877. *Coptops bidens* Wollast., Col. S. Helena, P. 210.

1792. *Coptops fusca* Ol., Encycl. Ma'th. Ins., 7 : 210.
 1835. *Coptops parallela* Serv., Ann. Soc. ent. Fr., 4 : 64.
 1872. *Coptops quadristigma* Fähr., Ofvers. Vet. Akad. Forhandl., 29(2) : 30.

Material examined : 1 ex., India : Dehradun : Jhaira, 1.x.1929, 6687/H4, FRI, Deh.

Distribution : India : Uttarakhand (Dehradun), Ostindien.

Elsewhere : Africa, Madagascar, Bauritius, Bourbon, Sir Lanka.

Tribe XENOLENINI

Genus *Xenolea* Thomson, 1864

1864. *Xenolea* Thomson, Syst. Cer., 91 (Type : *collaris* Th.)
 1872. *Xenolea*, Lacordaire, Gen. Col., 9 : 460.
 1934. *Xenolea*, Matsushita, J. Fac. Agric. Hokk., 44(2) : 356.
 1934. *Xenolea*, Philip, J. Sci., 72 : 135.
 1950. *Xenolea*, Breuning, Longicornia, 1 : 272, fig. 1.
 1951. *Xenolea*, Gressitt, i.e. : 447.

Xenolea asiatica (Pic.)

1924. *Aeschopalaea siatica* Pic., Echange, 41 : 16.
 1894. *Xenolea tomentosa* v. *asiatica*, Gahan, Trans. Ent. Soc. Lond. : 483.
 1938. *Xenolea asiatica*, Gressitt, Lingn. Sci. J., 17 : 158.
 1950. *Xenolea asiatica*, Breuning, Longicornia, 1 : 274.
 1939. *Xenolea tomentosa asiatica* Gressitt. Lingn. Sci. J., 18 : 69; 1951, i.c. 447.

Material examined : 1 ex., India : Uttarakhand : Dehradun : Ramgarh, 11.vi.1931, 6608/H4, Dr. B.N. Chopra; 1 ex., Dehradun, Ramgarh, 13.vi.1931, 6609/H4, Dr. B.N. Chopra; 1 ex., Dehradun, Ramgarh, 5.vi.1931, 6610/H4, Dr. B.N. Chopra.

Distribution : India : Uttarakhand.

Elsewhere : North Vietnam, China, Japan, Laos, Singapore, Indonesia.

Remarks : This species is recorded here for the first time from India (Uttarakhand).

Tribe AGNINI

Genus *Blepephaeus* Pascoe, 1866

1866. *Blepephaeus* Pascoe, Proc. Zool. Soc. Lond., (3)3 : 249 (type : *Succinctor* Chev.).
 1869. *Blepephaeus*, Lacordaire, Genl. Col., 9 : 339.
 1943. *Blepephaeus*, Breuning, Nov. Ent. 3rd Supp., 116-117 : 355-364.
 1951. *Blepephaeus*, Gressitt, Longicornia, 2 : 377-379.

Blepephaeus nigrosparsus Pic.

1925. *Blepephaeus nigrosparsus* Pic Eclare.

Material examined : 1 ex., India : Uttarakhand : Haldwani : Chakrata range, 14.vi.1930, 6613/H4, Dr. B.N. Chopra.

Distribution : India : Uttarakhand (Haldwani).

Elsewhere : South China.

Remarks : This species is found to attack *Clerodendron infortunatum* in this state.

Genus *Monochamus* Guerin-Meneville, 1826

1826. *Monochamus* Guerin-Meneville, Dict. Class. Hist. Nat., 9 : 186 (type : *sutor* F.).
 1913. *Monochamus*, Reitter, Fauna. Germ., 4 : 54-55.
 1943. *Monochamus*, Breuning, Nov. Ent. 3rd Supp., pp. 123-128, 441-456.
 1951. *Monochamus*, Gressitt, Longicornia, 2 : 390-396.
 1970. *Monochamus*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 134-136.

Monochamus bimaculatus Gahan

1888. *Monochamus bimaculatus* Gahan, Ann. Mag. Nat. Hist., (6)2 : 260.
 1943. *Monochamus bimaculatus*, Mreuning, Nov. Ent. 3rd Supp., P. 435.
 1951. *Monochamus bimaculatus*, Gressitt, Longicornia, 2 : 393.
 1970. *Monochamus bimaculatus*, Rondon & Breuning, Paci. Ins. Monograph. 24 : 135.

Material examined : 1 ex., India : Uttarakhand : Dehradun : Lachiwala, 4.vii.1937, 6637/H4, FRI, Deh.; 1 ex., Dehradun : Lachiwala, 3.vii.1937, 6638/H4, FRI, Deh.

Distribution : India : Uttarakhand (Lachiwala). Sikkim.

Elsewhere : Southern & Eastern Asia, Laos, Myanmar, Siam.

Remark : This species is recorded for the first time from this state.

Tribe BATOCERINI

Genus *Batocera* Castelnau, 1840

1840. *Batocera* Castelnau, Hist. Nat. Col., 2 : 479 [Type : *Cerambyx rubus* L.].
 1858. *Batocera*. Thomson, Arch. Ent., 2 : 447.
 1866. *Batocera*, Pascoe, Trans Ent. Soc. Lond., (3)3 : 259-261.
 1869. *Batocera*, Lacordaire, Genl. Col., 9 : 354.
 1951. *Batocera*, Gressitt, Longicornia, 2 : 407-409.
 1970. *Batocera*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 142-145.

Batocera rubus (L.)

1758. *Cerambyx rubus* L., Syst. Nat., ed. 10 : 390.
 1775. *Lamia rubus* F., Syst. Ent., P. 77.

1778. *Lamia stigma* Voet., Cat. Col., **2** : 15, Pl.13, fig. 54.
 1914. *Batocera albofasciata* Stebbing, Ind. For. Ins., P.366. f. 244.
 1940. *Batocera rubus* (L.) : Gressitt. Lign. Sci. J. **19 B** : 8.
 1970. *Batocera rubus*, Rondon & Breuning, Paci. Ins. Monograph, **24** : 144.

Material examined : Not examined.

Distribution : India : Bihar, W.B., Assam, Himalaya, Uttarakhand (Dehradun).

Elsewhere : Southern & Eastern Asia, Laos, Baluchistan.

Genus *Apriona* Chevrolat, 1852

1852. *Apriona* Chev., Rev. Mag. Zool., (2)4 : 414 (Type : *Lamia germari* Hope).
 1860. *Apriona*, Thomson, Class. Cer., 78.
 1866. *Apriona*, Pascoe, Trans. Ent. Soc. Lond., (3)3 : 259, 272.
 1872. *Apriona*, Lacordaire, Genl. Col., **9** : 354-356.
 1933. *Apriona*, Matsushita, J. Fac. Agric. Hokk. **34(2)** : 337.
 1951. *Apriona*, Gressitt, Longicornia, **2** : 409-410.
 1970. *Apriona*, Rondon & Breuning, Pact. Ins. Monograph, **24** : 141-142.

Apriona cinerea Chevrolat

1852. *Apriona cinerea* Chevrolat, Rev. Zool. (2)4 : 416.

Material examined : Not examined.

Distribution : India : North India, Uttarakhand (Dehradun, Almora).

Tribe APOMECYNINI

Genus *Ropica* Pascoe, 1858

1858. *Ropica*, Pascoe, Trans. Ent. Soc. Lond., (2)4 : 247 (Type : *R. piperata* Pasc.).
 1872. *Ropica*, Lacordaire, Genl. Col., **9** : 580, 590.
 1933. *Ropica*, Matsushita, J. Fac. Agric. Hokk. **34(2)** : 366.
 1939. *Ropica*, Gressitt, Lingn. Sci. J. **18** : 78.
 1964. *Ropica*, Breuning, Ent. Abh. Dresden., **30** : 357.
 1970. *Ropica*, Rondon & Breuning, Paci. Ins. Monograph, **24** : 47-50.

Ropica rufescens (Pic.)

Material examined : 1 ex., India : Uttarakhand : Dehradun, Lachiwala, 12.v.1999, 6666/H4, FRI Deh; 1 ex., Dehradun : Lachiwala 6.v.1937, FRI, Deh.

Distribution : India : Uttarakhand (Dehradun).

Elsewhere : Sri Lanka.

Remarks : This species is recorded for the first time from India (Uttarakhand), though reference not seen.

Genus *Apomecyna* Latreille, 1829

1829. *Apomecyna*, Latreille, In. Cuvier. Regne Anum. ed. 2(V)1 : 126. (Type : *A. histrio* F.).
 1835. *Apomecyna*, Serville, Ann. Soc. ent. Fr. **4** : 77.
 1840. *Apomecyna*, Castelnau, Hist. Nat. Col., **2** : 491.
 1860. *Apomecyna*, Thomson, Ess. Cer., 43.
 1865. *Apomecyna*, Pascoe, Trans. Ent. Soc. Lond., (3)3 : 141.
 1872. *Apomecyna*, Lacordaire, Genl. Col., **9** : 579-580.
 1933. *Apomecyna*, Matsushita, J. Fac. Agric. Hokk. **34(2)** : 366.
 1940. *Apomecyna*, Gressitt, Phil. J. Sci. **72** : 159-160.
 1951. *Apomecyna*, Gressitt, Longicornia, **2** : 488.
 1964. *Apomecyna*, Breuning, Ent. Abh. Dresden, **30** : 19-30.

Apomecyna histrio (F.)

1792. *Lamia histrio*, F., Ent Syst., **2** : 288.
 1840. *Apomecyna histrio*, Castelnau, Hist. Nat. Col., **2** : 40.
 1868. *Apomecyna quadrifasciata*, Thomson, Physis, **2** : 59.
 1918. *Apomecyna maculaticollis*, Pic, Mel. Exot. Ent., **28** : 6.
 1964. *Apomecyna histrio*, Breuning, Ent. Abh. Dresden, **30** : 21.

Material examined : 1 ex., India : Uttarakhand : Tehri Garhwal : Rishikesh : Muni Ki Reti, 03.ix.2002, S.K. Mandal.

Distribution : India : Arunachal Pradesh, Uttarakhand (Tehri Garhwal).

Elsewhere : Southern Asia, Sunda Islands, Malacca, Philippines, Japan, Laos.

Remarks : This species is recorded for the first time from this state.

Tribe PTEROLIINI

Genus *Sthenias* Castelnau, 1840

1840. *Sthenias*, Castelnau. Hist. Nat. Col., **2** : 466 (Type : *S. grisator* F.).
 1860. *Sthenias*, Thomson, Class. Cer., 38.
 1865. *Sthenias*, Pascoe, Trans. Ent. Soc. Lond., (3)3 140, 159.
 1872. *Sthenias*, Lacordaire, Genl. Col., **9** : 552, 563.
 1951. *Sthenias*, Gressitt, Longicornia, **2** : 479-480.
 1962. *Sthenias*, Breuning, Ent. Arb. Mus. Frey, **13** : 428-442.
 1970. *Sthenias*, Rondon & Breuning, Paci. Ins. Monograph, **24** : 68-69.

Sthenias grisator F.

1787. *Sthenias grisator*, F., Mant. Ins., **1** : 136.
 1792. *Sthenias grisator*, Ol., Encycl. meth., **7** : 467.
 1840. *Sthenias grisator*, Cast., Hist. Nat. Col., **2** : 466.
 1872. *Sthenias grisator*, Lacordaire, Genl. Col., **9** : 564.

1914. *Sthenias grisator*, Fletcher, South. Ind. Ins., P. 326, fig 182.

Material examined : 1 ex., India : Uttarakhand : Dehradun, Rajpur, 3.vii.1930, 6670/H4, FRI, Deh.; 1 ex., Dehradun, Rajpur, 9.vii.1930, 6671/H4, FRI, Deh.

Distribution : India : Kerala (Tranuebar), Uttarakhand (Dehradun : Rajpur).

Remarks : This species is recorded for the first time from this state.

Genus *Pterolophia* Newmann, 1842

1842. *Pterolophia*, Newmann, Ent. 1 : 370 (Type : *P. vitticollis* New.).

1895. *Pterolophia*, Gahan, Ann. Mus. Civ. Genova, 34 : 66.

1933. *Pterolophia*, Matsushita, J. Fac. Agric. Hokk. 34(2) : 357.

1939. *Pterolophia*, Gressitt, Lingn. Sci. J. 18 : 71.

1965. *Pterolophia*, Breuning, Ent. Arb. Mus. Frey. 16 : 161-472.

1970. *Pterolophia*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 70-85.

Subgenus *Mimoron* Pic.

1970. *Pterolophia (Mimoron)* Pic. Rondon & Breuning. Paci. Ins. Monograph. 24 : 82-83.

Pterolophia (Mimoron) brevegibbosa Pic.

1925. *Pterolophia brevegibbosa* Pic., v. *brevegibbosa*. Pic., Mel. Exot. Ent., 45 : 32.

1931. *Pterolophia gardneri* Schwarzer, Senckenberg. 13 : 71. Fig. 32.

1965. *Pterolophia (Mimoron) brevegibbosa*, Breuning. Ent. Arb. Mus. Frea. 16 : 433.

1970. *Pterolophia (Mimoron) brevegibbosa*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 83.

Material examined : 1 ex. India : Uttarakhand : Jhajra, 15.vii.1930, 6668/H4, FRI, Deh; 1 ex., Dehradun : Sherpur, 8.ix.1930, 6669/H4, FRI, Deh.

Distribution : India : Uttarakhand (Jhajra, Sherpur).

Elsewhere : Southeast Asia, Laos.

Remarks : This species is recorded here for the first time from India (Uttarakhand).

Subgenus *Pterolophia* (s. str.)

1970. *Pterolophia* (s.str.) Rondon & Breuning, Paci. Ins. Monograph, 24 : 72.

Pterolophia (s.str.) *occidentalis* (Schew)

Material examined : 1 ex., India : Uttarakhand : Dehradun, 17.ix.1930, 6678/H4, FRI, Deh.

Distribution : India : Uttarakhand.

Remarks : Reference not seen.

Genus *Desisa* Pascoe, 1865

1865. *Desisa* Pascoe, Trans. Ent. Soc. Lond., (3)3 : 163 (Type : *D. subfasciata* Pasc.).

1933. *Desisa*, Matsushita, J. Fac. Agric. Hokk. 34(2) : 357, 364.

1939. *Desisa*, Gressitt, Lingn. Sci. J. 18 : 72.

1863. *Desisa*, Breuning, Ent. Arb. Mus. Frey., 14(1) : 177-186.

1970. *Desisa*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 86.

Subgenus *Desisa* Pascoe

1970. *Desisa*, (s.str.) Rondon & Breuning, Paci. Ins. Monograph. 24 : 86.

Desisa (s.str.) *subfasciata* (Pasc.)

1862. *Praonetha subfasciata* Pascoe, J. Ent., 1 : 348.

1872. *Desisa subfasciata*, Lacordaire, Genl. Col., 9 : 566.

1970. *Desisa* (s.str.) *subfasciata* (Pasc.) : Rondon & Breuning, Paci. Ins. Monograph, 24 : 86.

Material examined : 2 ex., India : Uttarakhand : Dehradun, 17.ix.1930, 6641/H4, FRI, Deh.

Distribution : India : Uttarakhand.

Elsewhere : Southeast Asia, North Vietnam, Laos.

Desisa (s.str.) *plagiata* Br.

1963. *Desisa* (s.str.) *plagiata* Breuning, Ent. Arb. Mus. 14(1) : 177-186.

Material examined : 2 ex., India : Uttarakhand : Dehradun : Barkat, 17.ix.1925, 6622/H4, 5.vi.1925, 6621/H4, FRI, Deh.

Distribution : India : Uttarakhand (Dehradun).

Tribe ACANTHOCININI

Genus *Exocentrus* Mulsant, 1839

1839. *Exocentrus*, Mulsant, Col. Fr., Long., P. 152 (Type : *E. lusitanus* L.).

1866. *Exocentrus*, Bates, Ann. Mag. Nat. Hist., (3)17 : 191.

1884. *Exocentrus*, Ganglbauer, Best. Tab., 7 : 692.

1933. *Exocentrus*, Matsushita, J. Fac. Agric. Hokk. 34(2) : 389.

1939. *Exocentrus*, Gressitt, Lingn. Sci. J. 18 : 82.

1958. *Exocentrus*, Breuning, Bull. Brit. Mus. Ent., 7(5) : 211-328.

1970. *Exocentrus*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 181-187.

Subgenus *Pseudocentrus* Fairmaire

1970. *Exocentrus* (*Pseudocentrus*), Rondon & Breuning, Paci. Ins. Monograph, 24 : 185-187.

Exocentrus (*Pseudocentrus*) *flemingiae* Fisher

1932. *Exocentrus flemingiae* Fisher, Ind. For. Res., 16 : 296-297.

1939. *Exocentrus rufiscapus* Pic., VII. INter. Kongr. Ent., 1 : Sc. Syst., P. 344.

1958. *Exocentrus (Pseudocentrus) flemingiae*, Breuning, Bull. Brit. Mus. Ent., 7(5) : 299.

1970. *Exocentrus (Pseudocentrus) flemingiae*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 186.

Material examined : 2 ex., India : Uttarakhand : Dehradun : Lachiwala, 16.v.1929, 6645-46/H4, FRI. Deh.

Distribution : India : Bihar, Sikkim, Uttar Pradesh, Uttarakhand (Dehradun).

Elsewhere : North Vietnam, Laos.

***Exocentrus (Pseudocentrus) grcurae* (Fish.)**

Material examined : 1 ex., India : Uttarakhand : Dehradun, 3.vi.1929, 6639/H4, FRI. Deh. : 1 ex., Dehradun, 8.vii.1930, 6640/H4, FRI. Deh.

Description : India : Uttarakhand (Dehradun).

Remarks : Reference not seen.

***Exocentrus (Psudocentrus) dalbergiae* (Fish.)**

Material examined : 1 ex., India : Uttarakhand : Dehradun, 16.ix.1930, 6650/H4, FRI. Deh.; 1 ex., Dehradun, 23.vii.1936, 6651/H4, FRI. Deh.

Description : India : Uttarakhand.

Remarks : Reference not seen.

***Exocentrus (Pseudocentrus) cudraminae* (Fish.)**

Material examined : 1 ex., India : Uttarakhand : Dehradun, 3.viii.1930, 6652/H4, FRI. Deh.; 1 ex., Dehradun : Jhajra, 30.vii.1930, 6653/H4, FRI. Deh.

Distribution : India : Uttarakhand (Dehradun, Jhajra).

Reference : not seen.

***Exocentrus (Pseudocentrus) alboguttatus* (Fish.)**

Material examined : 1 ex., India : Uttarakhand : Dehradun, 2.iii.1937, 6655/H4, FRI. Deh.

Distribution : India : Uttarakhand (Dehradun).

Remarks : Reference not seen.

Tribe DORCASCHEMATINI

Genus *Olenecamptus* Chevrolat, 1835

1835. *Olenecamptus*, Chevrolat, Mag. Zool., 5 : Ins., pl. 134 (Type : *O. serratus* Chev.).

1866. *Olenecamptus*, Pascoe, Trans. Ent. soc. Lond., (3) 3 : 259, 316.

1872. *Olenecamptus*, Lacordaire, Genl. Col., 9 : 457-458.

1926. *Olenecamptus*, Schwarzer, Senckenberg, 8 : 287.

1951. *Olenecamptus*, Gressitt, Longicornia, 2 : 442-446.

***Olenecamptus indianus* Thomson**

1857. *Olenecamptus indianus*, Thomson, Archives Ent.. 1 : 192.

1872. *Olenecamptus indianus*, Lacordaire, Genl. Col., 9 : 458.

Material examined : 2 ex., India : Uttarakhand : Dehradun : Lachiwala, 26.vi.1929, 6658-59/H4, FRI. Deh.

Distribution : India : Ostindien, Uttarakhand (Dehradun : Lachiwala).

Remarks : This species is recorded here for the first time from the state.

***Olenecamptus bilobus* (F.)**

1801. *Saperda biloba* F., Syst. El. 2 : 324.

1866. *Olenecamptus bilobus*, Pascoe, Trans. Ent. Soc. Lond., (3)3 : 316.

1970. *Olenecamptus bilobus*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 152.

Material examined : 1 ex., India : Uttarakhand : Tehri Garhwal. Rishikesh west, 31.viii.2002, S.K. Mandal.

Distribution : India : W.B., Uttarakhand (Tehri Garhwal : Rishikesh), Tamil Nadu, Kerala, Andaman Islands.

Remarks : This species is recorded here for the first time from Uttarakhand.

Tribe SAPERDINI

Genus *Glenea* Newmann. 1842

1842. *Glenea* Newm., Etomologist, 1 : 301 (Type : *Glenea novemguttata* Guerin).

1939. *Glenea*, Gressitt, Lingn, Sci. J., 16 : 94.

1970. *Glenea*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 198-213.

Subgenus *Glenea* s.str.

***Glenea* (s.str.) *maculata* (Hope)**

Material examined : 1 ex., India : Uttarakhand : Kumaon, Almora, 14.vi.1937, 6627/H4, FRI, Deh.; 1 ex., Dehradun, 2.viii.1924, 6628/H4, FRI. Deh.

Distribution : India : Uttarakhand.

Remarks : Reference not seen.

Subgenus *Stiroglenea* Aurivillius

***Glenea* (*Stiroglenea*) *spilota* (Thomson)**

1860. *Glenea* (*Strioglenea*) *spilota* Thomson, Classif. Ceramb., P. 58.

Material examined : 1 ex., India : Uttarakhand : Dehradun, 25.vi.1929, 6625/H4, FRI. Deh.; 1 ex., Dehradun, 1.vi.1929, 6626/H4, FRI. Deh.

Distribution : India : Uttarakhand (Dehradun).

Elsewhere : Indonesia (Java).

Remarks : This species is recorded for the first time from Uttarakhand.

Tribe CROSSOTINI

Genus *Moechotypa* Thomson, 1864

1864. *Moechotypa* Thomson, Syst. Cer., 55 : 368 (Type : *M. suffusa* Pascoe).
 1872. *Moechotypa*, Lacordaire, Gen. Col., 9 : 518.
 1933. *Moechotypa*, Matsushita, J. Fac. Agric. Hokk., 34 : 355.
 1951. *Moechotypa*, Gressitt, Longicornia, 2 : 449-451.
 1970. *Moechotypa*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 155-158.

Moechotypa asiatica (Pic.)

1903. *Hecyrida asiatica* Pic., Echange, 19 : 121.
 1929. *Moechotypa asiatica*, Schwarzer, Senckenberg, 11 : 374.
 1970. *Moechotypa asiatica*, Rondon & Breuning, Paci. Ins. Monograph, 24 : 157-158.

Material examined : India : Uttarakhand : Nagrasu in Rudraprayag Dist., 07.xi.2002, Dr. P. Mukhopadhyay, ex. on leaf.

Distribution : India : Assam, Uttarakhand (Nagrasu : Rudraprayag).

Elsewhere : Myanmar, China, Laos.

Subfamily PRIONINAE

Genus *Lophosternus* Guer., 1844

1844. *Lophosternus* Guerin, Icon. Regne Anim. Ins. P. 209.
 1844. *Cyrtosternus* Guer., Icon. Regne Anim. Ins. 210.
 1869. *Cyrtognathus* (Part), Lacord, Gen Coleopt., 8 : 53.
 1906. *Lophosternus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 9-13.

Lophosternus hugelii Redtenb.

1848. *Lophosternus hugelii* Redtenb. (Cyrtognathus). *Hugel's Kaschmir*, 4(2) : 550, Pl. 28, fig. 1.
 1906. *Lophosternus hugelii*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 11-12.

Material examined : 1 ex., India : Uttarakhand : Rudraprayag : Gaurikund, 28.iv.2004, S.K. Chakraborty & Party, ex. at light.

Distribution : India : Assam, North West Provinces, Punjab, Himachal Pradesh, Kashmir, Uttarakhand.

Remarks : This species is recorded here for the first time this state.

Subfamily LEPTURINAE

Genus *Apiocephalus* Gahan, 1898

1898. *Apiocephalus* Gahan, Ann. Mag. Nat. Hist., (7)2 : 42.
 1906. *Apiocephalus*, Gahan, The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae, 1 : 74-75.

Apiocephalus licheneus Gahan

1906. *Apiocephalus licheneus* Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 74-75.

Material examined : Not seen.

Distribution : India : Uttarakhand (Dehradun).

Subfamily CERAMBYCINAE

Group ASEMINI

Genus *Tetropium* Kirby, 1837

1837. *Tetropium* Kirby, Fauna Boreali. Americana, 4 : 174.
 1850. *Tetropium*, Leconte, J. Acad. Philad., (2)2 : 34.
 1860. *Tetropium*, Thomson, Classif. Ceramb. P. 258.
 1869. *Tetropium*, Lacordaire, Gen. Coleopt. 7 : 208.
 1906. *Tetropium*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 95-96.

Tetropium oreinum Gahan

1906. *Tetropium oreinum* Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 95-96.

Mistribution : India : North west Himalaya, Kashmir, Himachal Pradesh, Uttarakhand (Tehri Garhwal).

Genus *Criocephalus* Mulsant, 1839

1839. *Criocephalus* Mulsant, Col. de France, Longic., P. 63 (Type : *C. rusticus* Linn.).
 1869. *Criocephalus*, Lacordaire, Gen. Coleopt. 8 : 210.
 1905. *Criocephalus*, Sharp, Trans, Ent. Soc. Lond., P. 145.

Criocephalus unicolor Mshl.

1906. *Criocephalus unicolor*, Mshl., The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 97-98.

Material examined : 2 ex., India : Uttarakhand; Bhowali in Nainital District, 08.ix.2005, S.K. Chatter & party.

Distribution : India : Assam, Uttarakhand (Bhowali : Nainital).

Elsewhere : Japan.

Remarks : This species is recorded here for the first time from this state.

Group OEMINI

Genus *Xystocera* Serv., 1869

1834. *Xystocera*, Serv., Ann. Soc. ent. Fr., P. 69.
 1869. *Xystocera*, Lacordaire, Gen. Col., 8 : 229.
 1906. *Xystocera*, Gahan, The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae, 1 : 105-107.

Xystocera globosa Oliv.

1795. *Xystocera globosa*, Oliv. (Cerambyx), Entom., 4(No. 67) : 27, pl. 12, fig. 81.

1906. *Xystocera*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 106-107.

Material examined :

Distribution : India : W.B., Maharashtra, Karnataka, Uttarakhand (Mussoorie), Tamil Nadu, Assam.

Elsewhere : Sri Lanka, Myanmar, Siam, Malay Peninsula, Indonesia, Philippines, Egypt, Mauritius, Hawaiian Islands.

Remarks : This species is found to attack trees like Seinul (*Bombax malabaricum*).

Group CERAMBYCINI

Genus *Aeolesthes* Gahan, 1890

1890. *Aeolesthes* Gahan, *Ann. Mag. Nat. Hist.*, (6)6 : 250
[Type : *A. aurifaber* White (*Hammaticchorus*)].

1906. *Aeolesthes*, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 126-129.

Aeolesthes holosericea Fab.

1787. *Aeolesthes holosericea* F. (*Cerambyx*). *Mant. Ins.*, 1 : 135.

1865. *Pachydissus velutinus* Thomson, *Syst. Ceramb.*, P. 576.

1890. *Pachydissus similis* Gahan, *Ann. Mag. Nat. Hist.*, (6)5 : 52.

1899. *Neocerambyx holosericea* Cotes, *Ind. Mus. Notes*, 1 (No. 2) : 60, 89, pl. 5, fig. 3.

1906. *Aeolesthes holosericea*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 127-128.

Material examined : 1 ex., India : Uttarakhand : Uttarkashi F.R.H. Campus, 07.v.2002, S.K. Chakraborty, ex. at light.

Distribution : India : Uttarakhand (Uttar Kashi), N.W. India, Maharashtra, Tamil Nadu, Assam, Andaman & Nicobar Islands.

Elsewhere : Sri Lanka, Tenasserim, Siam, Malay Peninsula.

Remarks : This species has been recorded for the first time from this state.

Genus *Diorthus* Gahan, 1891

1891. *Diorthus*, Gahan, *Ann. Mag. Nat. Hist.*, (6)7 : 27
[Type : *D. simplex* White (*Hammaticherus*)].

1906. *Diorthus*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 132-133.

Diorthus simplex White

1891. *Diorthus simplex*, White, *Cat. Col. Brit. Mus.*, Longic., P. 130.

Material examined : 1 ex., India : Uttarakhand : Mailani in Nainital District, 30.iv.2008, 14757/H4 R.H.; 1 ex., Srinagar : Paurigarhwal, 14.v.2002, S.K. Chakraborty

& party, ex. dusting.; 1 ex., Rajwala in Dehradun Dist., 20.v.2002, S.K. Chakraborty & party.

Distribution : India : W.B., Tamil Nadu, Uttarakhand (Mailani, Srinagar, Rajwala).

Elsewhere : Beluchistan, North Myanmar, Siam, Indonesia, Aden, Mauritius, W. Africa.

Remarks : This species has been recorded for the first time from this state.

Genus *Derolus* Gahan, 1891

1891. *Derolus* Gahan, *Ann. Mag. Nat. Hist.*, (6)7 : 26 (Type : *D. mauritanicus* Buquet).

1894. *Copnecerambyx* Reitter, *Ent. Nachr.*, 20 : 356.

Derolus mauritanicus Buquet

1840. *Derolus mauritanicus* Buquet (*Hammaticherus*). *Ann. Soc. ent. Fr.*, P. 295.

1906. *Derolus mauritanicus*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 135-136.

Material examined : 3 ex., India : Uttarakhand : Jaknidhar in Tehri Garhwal Dist., 15.v.2002, S.K. Chakraborty & party, ex. dusting; 2 ex., Raiwalla : Dehradun, 20.v.2002, S.K. Chakraborty & party.

Distribution : India : Uttarakhand (Jaknidhar, Raiwalla).

Elsewhere : Beluchistan, Persia, Algeria, S. Europe.

Remarks : This species is recorded here for the first time from India (Uttarakhand).

Group MYTHODINI

Genus *Phyodexia* Pascoe, 1871

1871. *Phyodexia* Pascoe, *Ann. Mag. Nat. Hist.*, (4)8 : 273
[Type : *P. concinna* Pascoe].

1906. *Phyodexia*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 182-183.

Phyodexia concinna Pascoe

1871. *Phyodexia concinna*, Pascoe, *Ann. Mag. Nat. Hist.*, (4)8 : 273, pl. 3, fig. 2.

1906. *Phyodexia concinna*, Gahan, *The Fauna of British India incl. Ceylon & Burma. Col. : Cerambycidae*, 1 : 183.

Material examined : Not seen.

Distribution : India : W.B., Assam, Uttarakhand (Mussoorie).

Elsewhere : Bhutan, Myanmar.

Group PURPURICENINI

Genus *Perpuricenus* Latrielle, 1829

1829. *Perpuricenus* Latr., *Regne Anim.*, ed. 2, 5 : 114 (Type *P. desfontainei* F.).

1846. *Gyclodera* White, Stokess Voy., App. 1 : 510.
 1869. *Philagathes* (Thomson). Lacord. (in part), Genl. Coleopt. 9 : 176.
 1906. *Perpuricenus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 184-186.

***Perpuricenus montanus* White**

1853. *Perpuricenus montanus*, White. Cat. Col. Brit. Mus., Longic., 7 : 138.
 1906. *Perpuricenus montanus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 186.

Material examined : Not seen.

Distribution : India : West Kashmir, Himalaya, Uttarakhand (Tehri Garhwal).

Elsewhere : Tibet.

Group PYRESTINI

Genus *Erythrus* White, 1853

1853. *Erythrus* White, Cat. Col. Brit. Mus., Longic., P. 142 (Type : *E. championi* White).
 1906. *Erythrus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 229-232.

***Erythrus westwoodi* White**

1853. *Erythrus westwoodi*, White, Cat. Col. Brit. Mus., Longic., P. 143.
 1906. *Erythrus westwoodi*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 231.

Material examined : Not seen.

Distribution : India : Himalaya, Uttarakhand (Almora), Manipur.

Group CLYTINI

Genus *Xylotrechus* Chevrolat, 1860

1860. *Xylotrechus* Chevr., Ann. Soc. ent. Fr., P. 456 (Type : *X. sartorlli* Chevr.).
 1906. *Xylotrechus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 241-245.

***Xylotrechus stebbingi* Gahan**

1906. *Xylotrechus stebbingi* Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 244.

Material examined : Not seen.

Distribution : India : North west Himalayas, Uttarakhand (Jaunsar, Nainital, Almora).

Elsewhere : Tibet.

***Xylotrechus subscutellatus* Chevr.**

1863. *Xylotrechus subscutellatus* Chevr., Mem. Soc. R. Sci. de Liege, 18 : 317.

1906. *Xylotrechus subscutellatus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. Cerambycidae, 1 : 242-243.

Material examined : 2 ex., India : Uttarakhand Srinagar in Pauri Garhwal Dist., 14.v.2002 S.K. Chakraborty & party, ex. dusting; 1 ex., Rudraprayag, 29.ix.2004, P. Mukhopadhyay, ex. at light.

Distribution : India : W.B., Maharashtra, Tamil, Nadu, Uttarakhand (Sri nagar, Rudraprayag).

Remarks : This species is recorded for the first time from this state.

Genus ***Perissus*** Chevrolat, 1863

1863. *Perissus*, Chevr., Mem. Soc. R. sci. de Liege, 18 : 262. (Type : *P. x-littera*).
 1906. *Perissus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 254-259.

***Perissus fuliginosus* Chevr.**

1863. *Perissus fuliginosus*, Chevr. (*Amauraesthes*), Mem. Soc. R. Sci. de Liege, 18 : 328.
 1906. *Perissus fuliginosus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 254.

Material examined : Not seen.

Distribution : India : Uttarakhand (Almora).

Elsewhere : Tibet.

Genus ***Caloclytus*** Fairm., 1864

1860. *Anthoboscus* Chevr. (in part), Ann. Soc. ent. Fr., (3)8 : 455.
 1863. *Chlorophorus* Chevr. (nec. Robineau-Desvoidy), Mem. Soc. R. Sci. de Liege, 18 : 290.
 1864. *Caloclytus* Fairm., in Jacq du Val & Fairm., Gen Coleopt. d' Europe, 4 : 145, (Type : *C. speciosus* Schneid.).
 1906. *Caloclytus*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 260-270.

***Caloclytus annularis* Fab.**

1787. *Caloclytus annularis*, F. (Callidium), Mant. Ins., 1 : 156.
 1906. *Caloclytus annularis*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, 1 : 261.

Material examined : 1 ex., India : Uttarakhand : Bhimtal in Nainital Dist., 15.iv.2002, S. Roy Chaudhury R.I.

Distribution : India : Northern India from north west to Assam, W.B., Bihar, Uttarakhand (Dehradun, Bhimtal).

Elsewhere : Myanmar, Siam, Northwards to China & Japan, Southwards Through Malayan Peninsula & Archipelago to New Guinea.

Group EPIPEDOCERINI

Genus *Epipedocera* Chevrolat, 1863

1863. *Epipedocera*, Chevr., Mem. Soc. R. Sci. de Liege, **18** : 339 (Type : E. zona Chevr.).
 1906. *Epipedocera*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. Cerambycidae, **1** : 305-308.

Epipedocera affinis Chevr.

1863. *Epipedocera affinis*, Chevr. Soc. R. Sci. de Liege, **18** : 341.
 1906. *Epipedocera affinis*, Gahan, The Fauna of British India incl. Ceylon & Burma, Col. : Cerambycidae, **1** : 307.

Material examined : 1 ex., India : Uttarakhand : Dehradun : New Forest, 7.viii.1990, 7965/H4, S.L. Mark.

Distribution : India : Tamil Nadu, Maharashtra, Uttarakhand (Dehradun).

Remarks : This species has been recorded for the first time from this state.

Family CURCULIONIDAE

Division ADELOGNATHI

Subfamily BRACHYDERINAE

Group BLOSYRIDES

Genus *Blosyrides* Jek., 1875

1875. *Blosyrides* Jekel. Col. Jekel., P. 157.
 1916. *Blosyrides*, Marshall, The Fauna of British India including Ceylon and Burma, Coleoptera : Rhynchophora : Curculionidae : 38-44.

Blosyrides variegatus (Redtenbacher)

1848. *Blosyridus variegatus* Redt., Hugel's Kaschm., **4** : 539.
 1875. *Blosyrides interruptus* Jekel, Col. Jekel., : 161.
 1916. *Blosyrides variegatus* (Redt.) : Marshall, The Fauna of British India including Ceylon and Burma., Coleoptera : Rhynchophora : Curculionidae : 40-41.

Material examined : Not examined.

Distribution : India : Kashmir, Uttarakhand (Mussoorie, 7000 ft.).

Group TANYMECIDES

Genus *Tanymecus* Schönh., 1826

1826. *Tanymecus* Schönh., Disp. Meth., : 127.
 1916. *Tanymecus*, Mshl. The Fauna of British India including Ceylon and Burma, Coleoptera : Rhynchophora : Curculionidae : 68-107.

Tanymecus circumdatus (wied.) var. *rusticus* Gyl.

1821. *Circulio circumdatus* Weidemann. Germ. Mag., **4** : 156.
 1834. *Tanymecus rusticus* Gyllenhal. Schonh. Gen. Curc., **2** : 83.
 1916. *Tanymecus circumdatus* var. *rusticus* Gyl. : Mshl, The Fauna of British India including Ceylon and

Burma. Coleoptera : Rhynchophora : Curculionidae : 91.

Material examined : Not examined.

Distribution : India : Bihar, Uttarakhand (Dehradun).

Tanymecus agrestis Fst.

1899. *Tanymecus agrestis* Faust. Ann. Soc. Ent. Belg. **43** : 394.
 1916. *Tanymecus agrestis* : Mshl., The Fauna of British India including Ceylon and Burma Coleoptera : Rhynchophora : Curculionidae : 104-105.

Material examined : Not examined.

Distribution : India : Bihar, Uttarakhand (Sura bagh, Dehradun).

Elsewhere : Myanmar.

Remarks : Ventrally 5 of male of the species deeply bisinuate at apex.

Genus *Dereodus* Schönh., 1826

1826. *Dereodus* Schönh., Disp. Meth. : 125.
 1916. *Dereodus* Mshl., The Fauna of British India including Ceylon and Burma, Coleoptera : Rhynchophora : Curculionidae : 118-125.

Dereodus pollinosus (Redt.)

1848. *Hypomeces pollinosus* Redtenbacher, Hugel's Kaschm., **4** (pt. 2) : 545.
 1891. *Dereodus himalayanus* Faust, Stettin. Ent. Zeit., : 262.
 1916. *Dereodus pollinosus* (Redt.); Mshl. The Fauna of British India including Ceylon and Burma Coleoptera : Rhynchophora : Curculionidae : 121.

Material examined : Not examined.

Distribution : India : Uttarakhand (Mussoorie, Almora, Dalmoti, Kumaon; Thano, Sabhawala and Thadiar, 7000, Dehradun), Punjab, Himachal Pradesh, Kashmir.

Elsewhere : Baluchistan, Nepal.

Genus *Astycus* Schonh., 1826.

1826. *Astycus* Schonh., Disp. Meth., P. 129.
 1916. *Astycus*, Mshl., The Fauna of British India including Ceylon and Burma, Coleoptera : Rhynchophora : Curculionidae : 128-152.

Astycus lateralis (F.)

1792. *Curculio lateralis* F., Ent. Syst., **1**(2) : 454.
 1892. *Astycus lateralis* var. *subacuminatus* Faust., Ann. Soc. ent. Fr. : 505.
 1916. *Astycus lateralis*, Mshl., The Fauna of British India including Ceylon and Burma, Coleoptera : Rhynchophora : Curculionidae : 139-140.

Material examined : 2 exs., India : Uttarakhand : Tehri : Tehri Garhwal dist., 2.xi.2000, Dr. P. Mukhopadhyay & party.

Distribution : India : Widely distributed in India : Uttarakhand, Assam.

Elsewhere : Myanmar, Siam, Malaya Peninsula.

Remarks : This species is recorded here for the first time from Uttarakhand.

Genus *Lepidospyris* Mshl., 1916

1916. *Lepidospyris* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 153-156.

***Lepidospyris cretacea* Faust**

1897. *Astyphobus cretaceus* Faust, Deut. Ent. Zeit., : 348.

1916. *Lepidospyris cretacea* : Mshl., *The Fauna of British India including Ceylon and Burma*. Coleoptera : Rhynchophora : Curculionidae : 153-154.

Material examined : Not examined.

Distribution : India : Maharashtra, Uttarakhand (Kathgodam 1200") : Kumaon).

***Lepidospyris demissa* Mshl.**

1916. *Lepidospyris demissa* Mshl., *The Fauna of British India including Ceylon and Burma*. Coleoptera : Rhynchophora : Curculionidae : 154-155.

Material examined : Not examined.

Distribution : India : Uttarakhand (Dehradun).

Genus *Leptomias* Fst., 1866

1866. *Leptomias* Faust, Stettin. Ent. Zeit., : 132.

1916. *Leptomias* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 172-191.

***Leptomias angustatus* (Redt.)**

1848. *Pachynotus angustatus* Redt., Hugel's Kaschm., 4, pt. 2, P. 542.

1916. *Leptomias angustatus* Redt. : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 177-178.

Material examined : Not examined.

Distribution : India : Kashmir, Uttarakhand (Mussoorie, 7000, Mundali, Jaunsar division, Dehradun).

***Leptomias lituratus* (Redt.)**

1848. *Cneorhinus lituratus* Redt., Hugel's Kaschm. 4. Pt. 2, P. 543.

1916. *Leptomias lituratus* Redt. : Mshl., *The Fauna of British India including Ceylon and Burma* Coleoptera : Rhynchophora : Curculionidae : 179.

Material examined : Not examined.

Distribution : India : Kashmir, Uttarakhand (Mussoorie; Mandali; 9000, Jaunsar division, Dehradun).

***Leptomias curtus* Mshl.**

1916. *Leptomias curtus* Mshl., *The Fauna of British India including Ceylon and Burma*. Coleoptera : Rhynchophora : Curculionidae : 180.

Material examined : Not examined.

Distribution : India : Uttarakhand (Dehradun).

***Leptomias jekeli* Fst.**

1886. *Leptomias jekeli* Fst., Stettin. Ent. Zeit., : 135.

1916. *Leptomias jekeli* : Mshl., *The Fauna of British India including Ceylon and Burma*. Coleoptera : Rhynchophora : Curculionidae : 181-182.

Material examined : Not examined.

Distribution : India : Punjab, Uttarakhand (Almora).

***Leptomias bipustulatus* Fst.**

1897. *Leptomias bipustulatus* Fst., Deut. Ent. Zeit., 342.

1916. *Leptomias bipustulatus* : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 184.

Material examined : Not examined.

Distribution : India : Punjab, Uttarakhand (Kului, Thano and Lachiwala, Dehradun; Almora, 5500").

***Leptomias sulcicollis* Mshl.**

1916. *Leptomias sulcicollis* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 187.

Material examined : Not examined.

Distribution : India : Punjab, Uttarakhand (Bhimtal, 4500' Kumaon).

***Leptomias longulus* (Fst.)**

1897. *Parisomias longulus* Faust, Deut. Ent. Zeit., : 345, note 3.

1916. *Leptomias longulus* : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 189-190.

Material examined : Not examined.

Distribution : India : Uttarakhand (Bagarkote, 8000', Kumaon).

Genus *Xylinophorus* Faust, 1885

1885. *Xylinophorus* Faust, Deut. Ent. Zeit., : 177.

1916. *Xylinophorus* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 191-194.

***Xylinophorus strigifrons* Fst.**

1897. *Xylinophorus strigifrons* Fst., Deut. Ent. Zeit., 347.

1916. *Xylinophorus strigifrons* : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 194.

Material examined : Not examined.

Distribution : India : Uttarakhand (Dehradun).

Genus *Pachynotus* Redt., 1848

1848. *Pachynotus* Redt., *Hugel's Kaschm.*, 4(2) : 541.

1916. *Pachynotus Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 201-202.

***Pachynotus globulicollis* Redt.**

1848. *Pachynotus globulicollis* Redt., *Hugel's Kaschm.* 4(1) : 541. Pl. 26, fig. 5.

1848. *Cneorhinus obscurus* Redt., *Hugel's Kaschim.* : 544.

1916. *Pachynotus globulicollis* Redt. : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 201-202.

Material examined : Not examined.

Distribution : India : Kashmir, Uttarakhand (Mussoorie, 7000" Dehradun; Mandali, 9000", Jaunsar division; Bargarkote, 8000" Kumaon; Painsur, above Lohba, 8000" Garhwal).

Genus *Achlaenomus* Waterhouse, 1853

1953. *Achlaenomus* Waterhouse. *Trans. Ent. Soc. Lond.* (2)2 : 178.

1916. *Achlaenomus*. Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 202-203.

***Achlaenomus ebeninus* Waterhouse**

1853. *Achlaenomus ebeninus* Waterhouse, *Trans. Ent. Soc.*, (2)2 : 179.

1916. *Achlaenomus ebeninus* : Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : P. 202-203.

Subfamily OTIORRHYNCHINAE

Group PHYLLOBIIDES

Genus *Mylocerus* Schonh., 1826

1826. *Mylocerus* Schonh., *Disp. Meth.*, : 178.

1916. *Mylocerus* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 291-352.

***Mylocerus setulifer* Desbr.**

1899. *Mylocerus setulifer* Desbrochers des Loges. *Ind. Mus. Notes.*, 4 : 111.

1916. *Mylocerus setulifer* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 312-313.

Material examined : Not examined.

Distribution : India : Uttarakhand (Dehradun).

***Mylocerus setulifer* Mshl.**

1916. *Mylocerus sabulosus* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 336-337.

Material examined : Not examined.

Distribution : India : Bihar, Uttarakhand (Karwapani, Dehradun), Tamil Nadu.

***Mylocerus transmarinus* (Hbst.)**

1795. *Curculio transmarinus* Herbst. *Kaf.* 6 : 213, Pl. 75, f. 1.

1914. *Mylocerus transmarinus* : Stebbing, *Indian Forest Insects*, : 402.

1916. *Mylocerus transmarinus* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 337-338.

Material examined : Not examined.

Distribution : India : Punjab, Himachal Pradesh, Uttar Pradesh, Uttarakhand (Dehradun), West Bengal, Bihar, Madhya Pradesh, Maharashtra, Tamil Nadu.

***Mylocerus cardoni* Mshl.**

1916. *Mylocerus caixdoni* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 339.

Material examined : Not examined.

Distribution : India : Bihar, West Bengal, Uttarakhand (Dehradun), Tamil Nadu.

***Mylocerus lefroyi* Mshl.**

1916. *Mylocerus lefroyi* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 340-341.

Material examined : Not examined.

Distribution : India : Bihar, Uttarakhand (Chandbagh, Dehradun), West Bengal.

***Mylocerus discolor* Boh.**

1834. *Mylocerus discolor* Boh., in Schonh. *Gen. cure.* 2 : 428.

1914. *Mylocerus discolor* var. *variegatus* Boh. : Stebbing, *Indian Forest Insects* : 403.

1916. *Mylocerus discolor* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 348-349.

Material examined : Not examined.

Distribution : India : Punjab, Uttarakhand (Almora 5000" & Takula, Kumaon; Dehradun), Uttar Pradesh, West Bengal, Bihar, Orissa.

Elsewhere : Bangladesh.

***Mylocerus discolor* var. *uniformis* Mshl.**

1916. *Mylocerus discolor* var. *uniformis* Mshl., *The Fauna of British India including Ceylon and Burma*, Coleoptera : Rhynchophora : Curculionidae : 349-350.

Material examined : Not examined.