

CORRECTIONS AND AMPLIFICATIONS OF INDIAN LOCALITIES  
IN DR. T. H. BECKER'S MONOGRAPH OF THE DOLICHO-  
PODIDAE (DIPTERA).

By SYDNEY RIBEIRO, Entomological Assistant, Zoological Survey of India.

In a recent number of *Capita Zoologica* (Vol. I, pt. 4) Dr. T. H. Becker has published a monograph of the Indo-Australian Dolichopodidae in which a large number of specimens belonging to the Indian Museum are described or recorded. Many of the records of Indian species are wrongly transcribed from the printed labels, others incomplete, and Dr. Annandale has asked me to draw up a correct and amplified list. This I have done in the form of a table with four columns showing (1) the name of the species recorded, (2) the page of the monograph on which it is recorded, (3) the record as given, and (4) the record corrected and with such additions added as I have been able to find on reference to the specimens named by Dr. Becker. If corrections or additions are unnecessary the entry in the last column is left blank.

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Dolichopus</i>			
<i>zickzack</i> Wied. ...	8	Bengalen : Monghyr.—Burma : Rangoon.—Assam : Sylhet.—Kalkutta, Ceylon.	Calcutta and Monghyr, Bengal; Sylhet, Assam; Rangoon, Burma; Ceylon.
<i>angustinervis</i> Beck. ...	9	Assam : Shillong, Darjiling.	Darjiling, E. Himalayas; Shillong, Assam.
<i>saphirus</i> Beck. ...	10	India orient : Matheran, 800 m hoch.	Matheran, (800 ft.), Thana dist., Bombay Pres.
<i>Paraclius</i>			
<i>adligatus</i> Beck. ...	13	Assam : Sylhet ...	Sylhet, Assam : Mergui, Tenasserim.
<i>pilosellus</i> Beck. ...	14	Madha, Yenna-Tal, Satara-Distrikt, 2200 Fuss hoch.	Medha, Yenna Valley, Satara dist., (2200 ft.), Bombay Pres.
<i>nudus</i> Beck. ...	14	Helvak, Kogna-Tal, Satara distrikt, 2000 Fuss hoch.	Helvak, Koyna Valley, Satara dist., (2000 ft.), Bombay Pres.
<i>abbreviatus</i> Beck. ...	15	Assam : Sylhet.—Nepal : Tharbani.	
<i>regularis</i> Beck. ...	15	Balighai bei Puri, Orissa.—Kuranda.	

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Hercostomus</i>			
<i>neglectus</i> Beck.	22	Indien : Simla, 7000 Fuss hoch.	Simla, (7000 ft.), Simla Hills, W. Himalayas.
<i>elongatus</i> Beck.	22	Indien : Simla, 7000 Fuss hoch.	Simla, (7000 ft.), Simla Hills, W. Himalayas.
<i>promotus</i> Beck.	23	Indien : Dharampur, Simmla-Hügel, 5000 Fuss hoch.	Dharampur, Simla Hills, (5000 ft.), W. Himalayas.
<i>chetifer</i> Walk.	26	Naini-Tal, Kumaon, 6000 Fuss hoch.	Naini Tal, (6000 ft.), Kumaon, W. Himalayas.
<i>compositus</i> Beck.	27	Mahabaleshwar, Satara-Distrikt, 4200 Fuss hoch.	Mahabaleshwar, Satara dist., (4200 ft.), Bombay Pres.
<i>gregalis</i> Beck.	29	.....	Darjiling, (7000 ft.), E. Himalayas; Dawna Hills, (2000—3000 ft.), Tenasserim.
<i>flavicinctus</i> Beck.	29	Thissgannyinaung, Dawna-Berge.	Thingannyinaung to Sukli, Dawna Hills, (900—2100 ft.), Tenasserim.
<i>caecus</i> Beck.	30	N.—Indien : Darjiling, 7000 Fuss hoch.	Darjiling, (7000 ft.), E. Himalayas.
<i>bitinctus</i> Beck.	31	Assam, Mangaldal.	Mangaldai, N. E. Assam.
<i>geminatus</i> Beck.	31	Kalkutta ; Assam, Sylhet.	Calcutta, Bengal ; Sylhet, Assam.
<i>Tachytrechus</i>			
<i>salinarius</i> Beck.	32	Bombay ; Westbengalen, Paresnath.	Paresnath Hill, Chota Nagpur, Bihar ; Bombay.
<i>crassitarsis</i> Meij.	32	Nepal, Toral, Kumdhik.	Kumdhik, Nepal Terai.
<i>Thinophilus</i>			
<i>tesselatus</i> Beck.	35	Bengalen : Rajshai.	Calcutta and Rajshai.
<i>diminutus</i> Beck.	36	Indien vom Gangesdelta, Channel Creek.	Channel Creek nr. Mud Point, Ganges delta, L. Bengal ; Balighai nr. Puri, Orissa.
<i>indigenus</i> Beck.	37	.....	Sukhwani, Nepal ; Bijarani, Naini Tal dist., (Plains), U. Provs. ; Yaikam, Travancore, Madras Pres.; Balighai near Puri, Orissa ; Calcutta, Kushtia and Madhupur, Bengal ; Sylhet, Assam.

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Hydrophorus</i>			
<i>praecox</i> Lehm. ...	41	Indien : Pankong-Tal und vom Suezkanal.	Pankong Valley, (Tankte to Chagra), Pamirs [Yarkand Mission]; Suez Canal, on board ship at night. (N. Anandale Coll.).
<i>Paralleloneurum</i>			
<i>cilifemoratum</i> Beck. ...	43	Umgegend von Kalkutta und aus Bengal.	Calcutta and Madhupur, Bengal; Sylhet, Assam.
<i>Phalacrosoma</i>			
<i>imperfectum</i> Beck. ...	46	Indien : Kumaon, 5700 Fuss hoch, nahe bei Bhowali.	Near Bhowali, (5700 ft.), Kumaon, W. Himalayas.
<i>fulgidipes</i> Beck. ...	46	Baragh, Simla—Hügel.	Barogh, (5000 ft.), Simla Hills, W. Himalayas.
<i>Medetera</i>			
<i>adsumpta</i> Beck. ...	48	Umgebung von Kalkutta.	
<i>grisescens</i> Meij. ...	50	Indien : Trivandrum, Travancore. — Assam, Sylhet.	Almora, (5500 ft.), Kumaon, and Bijnor, U. Provs.; Shencottah, Madras Frontier, W. side of W. Ghats, and Trivandrum, Travancore, Madras Pres.; Puri, Orissa; Bhogaon Purneah dist. and Chakradharpur, Chota Nagpur, Bihar; Bettiah, Champaian dist., Calcutta, Madhupur and Port Canning, Bengal; Sylhet, Assam; Dawna Hills, (2000—3000 ft.), Tenasserim; Mandalay, U. Burma; Bombay.
<i>platychira</i> Meij. ...	51	.....	Calcutta, Bengal; Sylhet, Assam.
<i>nudicoxa</i> Beck	52	Darjeling, Himalaya, 7000 Fuss hoch.	Darjiling, (7000 ft.), E. Himalayas. Paresnath Hill, (4300—4400 ft.), Chota Nagpur, Bihar.
<i>Syntormon</i>			
<i>cilitarsis</i> Beck. ...	56	Assam, Sylhet.	
<i>elongatus</i> Beck. ...	57	Kufri, 5000 Fuss hoch, Simia—Berge.	Kufri, (8000 ft), Simla Hills and Mundali, (9000 ft.), Jaunsa divn., Dehra Dun dist., W. Himalayas.

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Syntormon</i>			
<i>frivolus</i> Beck.	58	Indien : Dharampur, 5000 Fuss hoch, Simia — Berge.	Dharampur, (5000 ft.), and Kufri, (8000 ft.), Simla Hills; and Mundali, (9000 ft.), Jaunsa divn., Dehra Dun dist., W. Himalayas.
<i>Neurogona</i>			
<i>angulata</i> Meij.	61	.....	Calcutta, Bengal; Sylhet, Assam.
<i>denudata</i> Beck.	62	Kalkutta; Assam, Syl- het; Ceylon.	
<i>pectinata</i> Beck.	64	N.—Bengalen : Purneah und Kalkutta.	Purneah, Bihar; Calcutta, Bengal.
<i>exemta</i> Beck.	64	Ceylon : Peradeniya.	Peradeniya, Ceylon.
<i>Diaphorus</i>			
<i>vagans</i> Beck.	71	Ceylon.	
<i>detectus</i> Beck.	72	Nordbengalen : Purneah. und aus Pallode.	Purneah, Bihar; Pallode, 20 miles N. E. of Trivandrum, Travancore, Madras Pres.
<i>maurus</i> O.—Sack.	72	Umgebung von Kalkutta	Calcutta, (environs), Ben- gal; Sukna, (500 ft.), E. Himalayas.
<i>apiatus</i> Beck.	73	Kalkutta.	
<i>flavipilus</i> Beck.	74	Bombay; Annadale : Shasthancottab.	Shasthancottah, 12 miles N. N. E. of Quilon, Travancore, Madras Pres. (N. Annadale Coll.); Bombay.
<i>nigerrimus</i> Meij.	75	Annadale : Travacore.	Tenmalai, W. Ghats, (W. side), Travancore, Madras Pres. (N. Annadale Coll.)
<i>wonosobensis</i> Meij.	75	.....	Kurseong, (5000 ft.), E. Himalayas.
<i>hirsutipes</i> Beck.	75	Himalaya : Darjiling, 5000 Fuss hoch.	Darjiling, (7000 ft.), E. Himalayas.
<i>protervus</i> Beck.	76	Kalkutta.	Calcutta, Bengal; Dawna Hills, (2000—3000 ft.), Tenasserim.
<i>minor</i> Meij.	77	Himalaya : Darjiling, 7000 Fuss hoch.	Darjiling, (7000 ft.), and Kurseong, (4700 ft.), E. Himalayas.
<i>simulans</i> Beck.	77	Indien : Colombo.	Colombo, Ceylon.
<i>discrepans</i> Beck.	78	Umgebung von Kalkutta.	

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Diaphorus.</i>			
<i>mandarinus</i> Wied. ...	78	Verschiedenen Teilen Indiens.	Sarah, Nepal ; Khurda Road, Puri dist. and Balighai nr. Puri, Orissa; Katihar, Purneah dist., Bihar ; Asansol, Calcutta, (environs), Kuchtea, Monghyr, Rajmahal and Tinpahar, Bengal ; Margherita, Mazbat, Mangaldai dist., Sadiya and Sylhet, Assam ; Mandalay and Rangoon, Burma ; Kawkareik, Amherst dist. and Dawna Hills, (at base), Tenasserim ; Parel Bombay.
<i>submixtus</i> Beck. ...	79	Assam : Margharita.	Margherita and Sadiya, Assam.
<i>habilis</i> Beck. ...	80	Bengalen : Monghyr.	Siripur, Saran, Bihar ; Monghyr, Bengal.
<i>intermixtus</i> Beck. ...	81	Assam : Margherita.	Naini Tal, (6000—7000 ft.), Kumaon, U. Provs. ; Calcutta, Bengal ; Margherita, Assam.
<i>Asyndetus</i>			
<i>latifrons</i> Lw. ...	86	Indian : Katihar, Distrikt Purneah.	Katihar, Purneah dist., Bihar ; Asansol, Barrackpore nr. Calcutta, and Rajshai, Bengal ; Sylhet, Assam.
<i>Chrysotus</i>			
<i>gratiosus</i> Beck. ...	86	Kalkutta.	
<i>degener</i> Frey ...	87	Umgebung von Kalkutta.	Calcutta, (environs), Madhupur and Monghyr, Bengal ; Sylhet, Assam ; Mandalay and Rangoon, Burma.
<i>alternus</i> Beck. ...	88	Indien : Burma, von den Dasona-Hügeln, 2—3000 Fuss hoch.	Shamdang, (c. 3000 ft.), Sikkim ; Calcutta and Barrackpore nr. Calcutta, Bengal ; Dawna Hills, (2000—3000 ft.), Tenasserim.
<i>discretus</i> Beck. ...	89	Mundeli ; Dehra Dun—Distrikt, 9000 Fuss hoch ; Umgebung von Kalkutta.	Darjiling, (7000 ft.), and Kurseong, (4700 ft.), E. Himalayas ; Mundali, (9000 ft.), Jaunsa divn., Dehra Dun dist., W. Himalayas ; Calcutta, Bengal ; Dawna Hills, (2000—3000 ft.), Tenasserim.

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Trigonocera</i>			
<i>specialis</i> Beck. ...	92	Umgebung von Kalkutta.	
<i>obscura</i> Meij. ...	92	.....	Mandalay, U. Burma.
<i>Sympycnus</i>			
<i>bisulcus</i> Beck. ...	94	.....	Base of Dawna Hills, Tenasserim; Mahabaleshwar, (4200 ft.), Satara dist., Bombay Pres.
<i>gummigutti</i> Beck. ...	95	Nepal : Thamaspur, und von Burma, Dawna-Hügel ; von Darjiling, 7000, Fuss hoch.	Darjiling, (7000 ft.), E. Himalayas; Thamaspur, Nepal; Dawna Hills, (at base and at 2000—3000 ft.), Tenasserim.
<i>apicalis</i> Meij. ...	96	.....	Sylhet, Assam.
<i>scutatus</i> Meij. ...	97	.....	Sylhet, Assam.
<i>simplex</i> Meij. ...	99	Indien : Ost-Himalaja, Sukna, 500 Fuss hoch.	Sukna, (500 ft.), and Darjiling, (7000 ft.), E. Himalayas; Barrackpore nr. Calcutta, Bengal; Margherita and Sadiya, Assam.
<i>vivus</i> Beck. ...	99	Burma, Downa-Hügel.	Dawna Hills, (at base), Tenasserim.
<i>strenuus</i> Beck. ...	101	Ceylon : Peradeniya.	Peradeniya, Ceylon.
<i>turbidus</i> Beck. ...	105	Östlichen Himalaja : Kurseong, 4700 Fuss hoch.	
<i>subjectus</i> Beck. ...	105	Burma : Daemä-Hügel, 2—3000 Fuss hoch ; Bengalen : Madhupur.	Madhupur, Bengal; Dawna Hills, (at base and at 2000—3000 ft.), Tenasserim.
<i>Chrysosoma</i>			
<i>bifiguratum</i> Beck. ...	140	Assam.	
<i>pulcherrimum</i> Beck. ...	145	Ceylon ; Ceylon : Nilgiri hill [H. L. Andrews].	Maddathoray, W. base of W. Ghats, Travancore and Nilgiri Hills, (2500 ft.), Madras Pres. [ H. L. Andrews Cole.] ; Ceylon.
<i>vittatum</i> Wied. ...	146	Indien : Mazbat Mangaldai, Assam ; Kalkutta ; Ceylon.	Trivandrum, Travancore, Madras Pres. ; Calcutta, Bengal ; Ceylon ; Mazbat, Mangaldai dist., Assam.

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Chrysosoma</i>			
<i>stragulum</i> Beck. ...	150	Indien : Kalattupuzker, base of W. Ghats ; Trivandrum, Travancore ; Madduthoray, Travancore.	Kulattupuzha and Mad- dathoray, W. base of W. Ghats and Trivan- drum, Travancore, Madras Pres.
<i>infirme</i> Beck. ...	152	Ceylon : Peradeniya.	Peradeniya, Ceylon.
<i>sagax</i> Beck. ...	152	Indien : (Fundort ?), Koll. Winthem im Wiener Hof-Mus.	
<i>elongatum</i> Beck. ...	153	Himalajagebirge, 5000 Fuss hoch, Kurseong.	Kurseong, (4700-5000 ft.), E. Himalayas ; Assam- Bhutan Frontier, Man- galdai dist., N. E. Assam.
<i>petulans</i> Beck. ...	154	Ceylon : Peradeniya.	Peradeniya, Ceylon.
<i>decoratum</i> Beck. ...	154	Nordlichen Indien, aus Assam, Sylhet.	
<i>ovale</i> Beck. ...	155	Ceylon : Hineratgoda ; S.—Ceylon; Walisama ; S.—Indien : Nilgiris, 6000 Fuss hoch, Coonor ; Ceylon : Rambodde.	Coonoor, (6000 ft.), Nil- giri Hills, Madras Pres. ; Hineratgoda, Rambod- de and Walisama, Cey- lon.
<i>punctiforme</i> Beck. ....	156	Himalajagebirge : Sukna, 500 Fuss hoch.	Sukna, (500 ft.), E. Hima- layas.
<i>inscriptum</i> Beck. ...	157	Kalkutta ; Bengalen : Rajmahal ; Assam : Sylhet.	Calcutta, Kushtea and Rajmahal, Bengal ; Syl- het, Assam.
<i>mirandum</i> Beck. ...	157	Himalajagebirge : Sukna, 500 Fuss hoch.	Sukna, (500 ft.), E. Hima- layas ; Siliguri, (base of E. Himalayas), N. Ben- gal.
<i>spengeli</i> Enderl. ...	158	Süd-Indien : Bangalore, 3000 Fuss hoch.	
<i>annotatum</i> Beck. ...	160	Ceylon : Pattipola, 2000 m. hoch ; Ceylon.	
<i>extractum</i> Beck. ...	161	Ceylon : Peradeniya.	
<i>duplicatum</i> Beck. ...	162	Ceylon : Peradeniya, Colombo, Victoria Gar- dens, Trivandrum, Travancore.	Trivandrum, Travancore, Madras Pres. Peradeniya and Colombo, Victoria Gardens, Ceylon.
<i>excisum</i> Beck. ...	162	Ceylon : Peradeniya.	Peradeniya, Ceylon.
<i>congruens</i> Beck. ...	163	Insel Ceylon.	

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Chrysosoma</i>			
<i>foliatum</i> Beck. ... 164	Ost-Bengalen : Chittagony ; Chittagong, Mazbat und Sukna.	Sukna, (500 ft.), E. Himalayas ; Chittagong, E. Bengal ; Mazbat, Mangaldai dist., Assam.	
<i>albidum</i> Beck. ... 164	Himalaja-Gebirge : Karlong, 5000 Fuss hoch ; Sukna, 500 Fuss hoch.	Ghumti, (4000 ft.), Darjiling dist., Kurseong, (5000 ft.), Sukna, (5000 ft.), and Gangtok, (6150 ft.), Sikkim, E. Himalayas.	
<i>undulatum</i> Beck. ... 165	Assam : Dibrugarh (Abor Exped.) ; Sylhet.	Dibrugarh (Abor Exped.) and Sylhet, Assam.	
<i>brunnipenne</i> Beck. ... 165	Trichinopoly, dem südlichen Indien.		
<i>faciatum</i> Beck. ... 166	Ceylon : Pattipola, 2000 m. hoch.		
<i>oculatum</i> Beck. ... 167	Kumaon bei Rhowali, 5700 Fuss hoch.	Near Bhowali, (5700 ft.), Kumaon, W. Himalayas.	
<i>leucopogon</i> Wied. ... 168	Ceylon und Kalkutta.	Agisamtengee, S. end of Kayangulam, Bangalore, and Kulattupuzha, W. base of W. Ghats, Travancore ; Madras, (town), Marikuppam, (2500 ft.), and Oorgaum, (2500 ft.), Madras Pres. ; Puri, Orissa ; Adra, Manbhum dist., Bihar ; Calcutta, Khargpur, Monghyr and Rajmahal, Bengal ; Moulmein, Tenasserim ; Rangoon, Burma ; Bombay and Parel, Bombay Pres. ; Ceylon.	
<i>tenuipes</i> Beck. ... 174	bei Barogh, Simia hills, 5000 Fuss hoch ; Kurseong, Himalaja—Gebirge, 6000 Fuss hoch.	Kurseong, (6000 ft.), E. Himalayas ; Barogh, (5000 ft.), Simla Hills, W. Himalayas.	
<i>triligatum</i> Beck. ... 177	Südlichen Indien : Perumal ; Trichinopol ; Koonoor, 6000 Fuss hoch, Nilgiris.	Perumal, Trichinopoly and Coonoor, (6000 ft.), Nilgiri Hills, Madras Pres.	
<i>compressum</i> Beck. ... 178	Nordbengalen : Kushtea ; Bhogaon, Purneah-Distrikt.	Bhogaon, Purneah dist., Bihar ; Kushtea, Bengal.	
<i>muticum</i> Thoms. ... 183	Moulmein, Indien.	Dibrugarh, N. E. Assam ; Moulmein, Tenasserim.	

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Chrysosoma</i>			
<i>armillatum</i> Big.	... 183	Colombo ; Ceylon : Kanthalay.	Colombo and Kanthalai, Ceylon.
<i>grossum</i> Beck.	... 186	Indien : Margherita.	Margherita, Assam
<i>posticum</i> Beck.	.. 188	Bombay.	
<i>integrum</i> Beck.	... 189	Ceylon : Matala ; Südlichen Indien : Trichinopol ; Kahtal, Purneah-Distrik [C. A. Paiva coll.] and Siripur, Saran, Bihar ; Calcutta and Rajmahal, Bengal ; 10 miles off Masulipatam, (on board ship), and Trichinopoly, Madras Pres.; Colombo, Victoria Gardens, Matala, Ceylon.	Allahabad, U. Provs.; Purneah and Katihar, Purneah dist. (C. A. Paiva coll.) and Siripur, Saran, Bihar ; Calcutta and Rajmahal, Bengal ; 10 miles off Masulipatam, (on board ship), and Trichinopoly, Madras Pres.; Colombo, Victoria Gardens, Matala, Ceylon.
<i>perturbans</i> Beck.	... 192	Südlichen Indien : Trichinopoly.	Trichinopoly, Madras Pres.
<i>Sciopus</i>			
<i>tardus</i> Beck.	... 198	.....	Rajmahal, Bengal.
<i>gravipes</i> Beck.	... 199	Ostbengalen : Chittagong.	
<i>interdictus</i> Beck.	... 201	Bombay.	
<i>turbidus</i> Beck.	... 202	Batighai, Orina.	Balighai nr. Puri, Orissa.
<i>pediformis</i> Beck.	... 204	Himalaja-Gebirge : Darjiling, 6—7000 Fuss hoch.	Darjiling, (6000—7000 ft.), E. Himalayas.
<i>penicillatus</i> Beck.	... 204	Shillong, Provinz Assam.	.....
<i>infans</i> Beck.	... 205	Baighai, Orissa.	Balighai nr. Puri, Orissa.
<i>adhaerens</i> Beck.	... 207	Südlichen Indien : Trichinopoly.	Trichinopoly, Madras Pres.
* <i>insecans</i> Beck.	... 208	Kuranda, Indien.	?
<i>bifarius</i> Beck.	... 208	Indien : Cairuna, Kuranda.	?
* <i>triangulifer</i> Beck.	... 211	Indien : Kuranda.	?
<i>variabilis</i> Meij	... 211	.....	Sylhet, Assam.
<i>fruticosus</i> Beck.	... 212	Sylhet, Assam.	

Name.	Page.	Record as given.	Record corrected, with additions.
<i>Condylostylus</i>			
<i>poecilus</i> Beck. ... 221	Indien : Madura, Shembaganur.	Shembaganur, Palni Hills and Madura, Madras Pres.	
<i>profundus</i> Beck. ... 222	Südindien : Kodaikanal ; Trichinopoly.	Kodaikanal, Palni Hills and Trichinopoly, Madras Pres. ; Sadiya, Assam.	
<i>imperfectus</i> Beck. ... 223	Indien, ohne speziellere Fundangabe.		
<i>conspectus</i> Beck. ... 225	Unchagaon, Nainital-district, am Fusse des Himalaja und Kalkutta.	Kathgodam, (1200 ft.), Kumaon and Unchagaon, Naini Tal dist., base of W. Himalayas ; Bangalore, (3000 ft.), Madras Pres. ; Calcutta and Kushtia, Bengal ; Mergui and Rangoon, Burma.	
<i>impar</i> Beck. ... 226	Colombo.	Colombo, Ceylon.	
<i>vigilans</i> Beck. ... 226	Himalajagebirge : Darjiling, 7000 Fuss hoch.	Darjiling, (7000 ft.), and Kurseong, (4700—5000 ft.), E. Himalayas ; Margherita, Assam.	
<i>jacobsoni</i> Meij. ... 228	.....	Dawna Hills, (2000—3000 ft.), Tenasserim.	
<i>Megistostylus</i>			
<i>longicornis</i> Fabr. ... 230	Ceylon ; Indien.	Sikkim, E. Himalayas ; Ceylon.	
<i>Mesorrhaga</i>			
<i>obscura</i> Beck. ... 232	Ceylon : Pattopola, 2000 m. hoch.	Pattipola, (2000 ft.), Ceylon.	
<i>termialis</i> Beck. ... 233	Ceylon.		
<i>nigro-viridis</i> Beck. ... 235	Ceylon.		